INDEX TO VOLUME 58

New names and the final members of new combinations are in **bold face type.** The plant names of the report of the Tyler-Duida Expedition (pages 277–506) are to be found in a separate index beginning on page 555.

Aciotis 219; brachybotrya 219; dysophylla 219; indecora 219; purpurascens 220

Acrodiclidium armeniacum 100; aureum 101; brasiliense 101, 102; Canella 102; Canelo 102; **latifolium** 100, 102; **macrophyllum** 101

Adelbertia 223

Adelobotrys 220, 223; fuscescens 222; **macrantha** 220; macrophylla praetexta 222; **subsessilis** 222; Tessmannii 223

Adenodesma 227

Aerial shoots, Propagation of Equisetum from sterile 531

Alternaria 203–207, 209, 211, 212; Mali 203; polymorpha 203, 209, 212

Amblyarrhena 242, 243, 247

American Botanical Literature, Index to 51, 111, 191, 265, 511, 536

American species of Daltonia, A review of the 31

AMES, OAKES, and CHARLES SCHWEINFURTH. Orchidaceae 345

Anaphysca 252

Aniba Canelilla 98; citrifolia 98, 100; **compacta** 97; Muelleriana 99; Panurensis 99; **reticulata** 99

Arthrostemma 217; grandiflorum 217

Ascobolus 518

Aspergillus 5

Bacillus radicicola 5

BAMFORD, RONALD. Changes in root tips of wheat and corn grown in nutrient solutions deficient in calcium 149

BARNHART, JOHN HENDLEY. Lentibulariaceae 468

BARTRAM, EDWIN B. A review of the American species of Daltonia 31

Bellucia 257, 258; grossularioides 257; **umbellata** 257; Weberbaueri 258

BENHAM, RHODA W. Phoma conidiogena, an excitant of asthma: some observations on the development and cultural characteristics 203

BLAKE, S. F. Polygalaceae 381; Compositae 487

Blakea 261; chanchamayensis 261; ovalis 261; **paludosa** 261; repens 262; Sawadae 262; Spruceana 262

Bolivia, The genus Cinchona in 523

Boron on wheat, Physiological effects of 1

Botanical Literature, Index to American 51, 111, 191, 265, 511, 536

Brachyotum 218; lycopodioides 218; quinquenerve 218; Trianaei 218

Brazil, Studies of South American plants—I. New or noteworthy plants from Peru and Amazonian 87

Brazil, Studies on the flora of northern South America—XV. Recent collections of Melastomataceae from Peru and Amazonian 215

BRITTON, N. L. Cyperaceae 317; Caesalpiniaceae 371

BURRET, M. Palmae 318

Calophysa 74–77; ciliata 81; dentata 85; heterophylla 85; setosa 82; testiculata 77, 80; tococoidea 81; vesiculosa 74

Calyptrella 224; cucullata 224; tristis 224

CARMIN, JOSEPH. Growth and variability of wheat seedlings in magnesium sulphate solutions 179

Chaenanthera 241, 242

Chaenopleura 246

Changes in root tips of wheat and corn grown in nutrient solutions deficient in calcium 149

Cinchona in Bolivia, The genus 523

Cinchona 523, 524; amygdalifolia 523, 524; asperifolia 528; australis 528; boliviana 523, 524; Calisaya 523–529; Calisaya boliviana 524; Calisaya microcarpa 524; Calisaya oblongifolia 524; Calisaya pallida 524; Chomeliana 528; Condaminea 523, 524; cordifolia 528; Forbesiana 524; hirsuta 528; Josephiana 524, 526–529; Josephiana discolor 524; Josephiana glabra 524; Josephiana pubescens 524; lanceolata 523, 524; lancifolia 523; lancifolia calisaya 524; Ledgeriana 524, 525, 528, 529; macrocalyx 523, 524; nitida 523, 524; officinalis 523–526, 529; ovata 524, 528, 529; pubescens 524, 528, 529; pur-

purascens 528; purpurea 528; succirubra 528; Weddelliana 524
Clidemia 75–77, 79, 253, 260; affinis 253; boliviensis 259; bullosa 253; ciliata 77, 79, 81, 253; cordata 253; crotonifolia 256; dentata 253; dependens 253; dispar 77, 253; Epibaterium 253; epiphytica 254, 256; flexuosa 77; **foliosa** 80, 84, 253; **heterophylla** 80, 85, 254; hirta 254; japurensis 254; **juruensis** 80, 84, 254; **longifolia** 254; naevula 255, 261; **peruviana** 255; **procumbens** 255, 256; **pubescens** 80, 82; radicans 256; rubra 256; septuplinervia 257; serpens 256; sessiliflora 255, 257; **setosa** 80, 82; **spectabilis** 80, 83; **Sprucei** 80, 85; strigillosa 257; **testiculata** 79, 80, 257; tilaefolia 257; **tococoidea** 79, 81; Ulei 257; urticoides 256
Comolia 219; veronicaefolia 219
Compsoneura capitellata 96; Tesmannii 96
COOPER, WILLIAM C., and ABRAHAM D. STOESZ. The subterranean organs of Helianthus scaberrimus 67
Corn grown in nutrient solutions deficient in calcium, Changes in root tips of wheat and 149
Coussapoa villosa 87
Cremanium 241, 244
Cryptocarya pachycarpa 97; **robusta** 97
Cucurbitaria 212; Platani 204

Daltonia androgyna 32, 35, 36, 47; ariquensis 47; aristata 32, 35–37, 47; aristifolia 40, 47; bilimbata 33, 41, 42, 47; binervis 47; braziliensis 32, 34–37, 47; brevicuspidata 47; **brevinervis** 31, 33, 37, 43, 47; compressa 41, 47; crispata 34, 47; cucullata 46, 47; curvicuspes 45–47; Dussii 34, 47; Fendleri 40, 47; gracilis 31–33, 40, 44–47; Hampeana 40, 45–47; irrorata 39, 47; Jamesoni 31, 33, 38, 47; Jamesoni laevis 39; Krauseana 45, 47; latolimbata 31, 33, 42, 43, 47; leucoloma 35, 36, 47; Lindigiana 33, 39–41, 47; longicuspidata 46, 47; longifolia 32, 34, 35, 47; lorifolia 45, 47; macrotheca 31, 33, 37, 47; minutifolia 45, 47; ocanniana 44, 45, 47; ovalis 33, 40, 46, 47; pellucida 33, 41, 42, 47; peruviana 33, 42, 47; pulvinata 32, 33, 35, 47; robusta 34, 47; sericea 46, 47; splachnoides 31, 45; stenophylla 32, 33, 40, 41, 47; Stewartii 47; subirrorata 43, 47; tenella 40, 47; tenuifolia 33, 44, 47; trachydontia 33, 43, 44, 47; Uleana 36, 47; Valdiviae 43, 44, 47; Wallisii 44, 45, 47
Daltonia, A review of the American species of 31
Desmocelis 318; villosa 218
Development and cultural characteristics, Phoma conidiogena, an excitant of asthma: some observations on the 203
Dilophopora Alopecuri 139
Diolena 225; amazonica 225
Diotanthera 218
Disciphania lobata 95
DODGE, B. O. Heterothallism and hypothetical hormones in Neurospora 517
Dorstenia argentata 88; nervosa 88; **umbricola** 87
Duida expedition, Botanical results of the Tyler- 277–506

Elissarrhena grandifolia 95
Endlicheria anomala 103; arunciflora 103; dysodantha 103; **mishuyacensis** 102
Epiphysca 252
EPLING, CARL. Labiatae 465
Equisetum 531, 533; arvense 531–535; praealtum 531, 532
Equisetum from sterile aerial shoots, Propagation of 531
Ernestia 217; quadrisetosa 217
Eugenia 49; australis 49; Hookeri 49; Hookeriana 49; myrtifolia 49; paniculata 49, 50
Eumiconia 228, 233; Glomeratiflorae 229, 230, 234; Impetiolares 235; Paniculares 232, 237; Seriatiflorae 242
Expedition, Botanical results of the Tyler-Duida 277–506

Flora of northern South America—XV. Recent collections of Melastomataceae from Peru and Amazonian Brazil 215
Fouquieria splendens 263, 264
Fouquieria splendens and Idria columnaris, Thorn formation in 263
Fumago 212

Genus Cinchona in Bolivia, The 523
Glaziophytum 261
GLEASON, H. A. Studies on the flora of northern South America—XV. Recent collections of Melastomataceae from Peru and Amazonian Brazil 215; The relation-

ships of certain myrmecophilous melastomes 73
GLEASON, H. A., WITH THE ASSISTANCE OF NUMEROUS COLLABORATORS. Botanical results of the Tyler-Duida Expedition 277–506
Glossocentrum 239–241
Graffenrieda 224; intermedia 224; limbata 224; patens 224; stenopetala 224
GREENMAN, J. M. Compositae—Tyleropappus 486
Growth and variability of wheat seedlings in magnesium sulphate solutions 179

Helianthus scaberrimus 67, 69, 71
Helianthus scaberrimus, The subterranean organs of 67
Henriettea 75, 259; horridula 259; maroniensis 259; stellaris 259; succosa 259
Henriettella 75, 259; **cuneata** 75; verrucosa 259
Heterothallism and hypothetical hormones in Neurospora 517
HITCHCOCK, C. B. Cerro Duida and the Guayana highlands 284
Hormones in Neurospora, Heterothallism and hypothetical 517
HUMPHREY, ROBERT R. Thorn formation in Fouquieria splendens and Idria columnaris 263
Hypophysca 250
Hypothetical hormones in Neurospora, Heterothallism and 517

Idria 263; columnaris 263, 264
Idria columnaris, Thorn formation in Fouquieria splendens and 263
Index to American Botanical Literature 51, 111, 191, 265, 511, 536
Iryanthera leptoclada 95
Isostemones 217

Jucunda 225

KILLIP, E. P. Passifloraceae 408
KRAUSE, K. Araceae 320

Laceraria 228
Leandra 225, 260; bullifera 260; chaetodon 225; dichotoma 225; francavillana 225; longicoma 225; nervosa 225; retropila 225; reversa 225; rufescens 225; secunda 225; solenifera 225
LEONARD, E. C. Acanthaceae 469
Lepidopilum chloroneuron 37; daltoniacum 47
Leucomnium attenuatum 46
Liriosoma **gracilis** 91
Literature, Index to American Botanical 51, 111, 191, 265, 511, 536
Loreya 258; Spruceana 258

Macrosporium 203, 204
Magnesium injury of wheat 127
Maieta 253; cuneata 74, 75; dentata 73, 85; dispar 78; glandulifera 74, 75; guianensis 73, 75, 76, 78, 253; guianensis peruviana 74, 75; heterophylla 73, 85; hispida 74, 75, 78; hypophysca 78; juruensis 74, 84; Poeppigii 73, 78, 79, 253; robusta 74, 75; setosa 73–75, 82; testiculata 73, 77, 80; tococoidea 73, 75, 81; tococoidea Watsonii 73, 81; vesiculosa 73, 74
MALME, G. A. Xyridaceae 322
Melastoma heterophylla 85; maieta 78
Melastomataceae from Peru and Amazonian Brazil, Studies on the flora of northern South America—XV. Recent collections of 215
Melastomes, The relationships of certain myrmecophilous 73
Meriania 223; **intonsa** 223; Spruceana 224
Miconia 75, 225, 233, 240; acuminifera 226; alata 228; albicans 228; amazonica 226; amplexans 227, 228; amplexicaulis 228, 229, 236; **aprica** 244; Aspiazui 237; aulocalyx 228; aurea 226; aureoides 228; barvinervis 229, 230; bubalina 226; caerulea 245; calvescens 229; cannabina 229; capitata 229; centrodesma 239; ceramicarpa 229; Chamissois 229; chartacea 241, 242; chrysophylla 241, 242; ciliata 242; clathrantha 245; **clavistila** 229; coelestis 245; **compacta** 230, 231; congesta 236; coronata 237; crassifolia 243; cyanocarpa 246; dichrophylla 241; dipsacea 231, 236; dodecandra 226; dolichorrhyncha 242; Donaeana 226; egensis 239; elaeagnoides 242; eriocalyx 231; erioclada 231; eugenioides 231, 238; falcata 236; fallax 231; **flaccida** 226; floribunda 243; fulva 242; glandulifera 227; glomerata 231; heteromera 231; holosericea 225; hygrophila 246; ibaguensis 232; **icosandra** 239; impetiolaris 236; juruensis 232; **Klugii** 240; **lasiostyla** 243; lepidota 232; longifolia 241; longirace-

mosa 232, 233; **Macbridei** 246; macrophylla 227; majalis 243; **Martiniana** 233, 241; Matthaei 234; **membranicalyx** 234, 235; minutiflora 241; mollis 235; multispicata 235; muricata 228; nectaria 237; nervosa 229, 235; nitida 246; **nobilis** 235, 236; parviflora 227; persicariaefolia 237; peruvianum 244; phanerostila 234, 236; pileata 244; Pilgeriana 241; Poeppigii 236; prasina 236; pteropoda 233, 236; puberula 241; Radula 244; radulaefolia 237; ramosipila 246; reducens 227; Regelii 242; retusa 247; riparia 237; rufescens 237; ruficalyx 235; Ruizii 244; Schwackei 235; scorpioides 237; serialis 237; spennerostachya 237; sphagnophila 244; stelligera 230, 238; stellipilis 241; stenostachya 237; symplectocaulos 227; ternatifolia 241; **tetrasperma** 237, 238; tiliaefolia 238; tomentosa 228; Traillii 227; triplinervis 238; umbrifera 227

Microlicia 215; **sphagnicola** 215; Weddellii 216

Microphysca 73

MOLDENKE, H. N. Lauraceae 362; Myrsinaceae 444; Asclepiadaceae 455; Verbenaceae 462

Monilia 517

Monochaetum 220; dicranantherum 220; **subglabrum** 220

Monolena 225; primulaeflora 225

MORRIS, HELEN S. Physiological effects of boron on wheat 1

MORTON, CONRAD V. Solanaceae 465

Mouriria 262; cauliflora 262; oligantha 262; Sagotiana 262

Myriaspora 261; egensis 261

Myrmecophilous melastomes, The relationships of certain 73

Myrmidone 73; peruviana 75, 78

Naucleopsis macrophylla 87; Ulei 87

Nectandra laevis 109; lucida 109; pulverulenta 109

Nepsera 217; aquatica 217

Neurospora 517–520; sitophila 517, 519, 522; tetrasperma 518, 520, 522

Neurospora, Heterothallism and hypothetical hormones in 517

Nitella 170

Nomenclatural notes 49

Observations on the development and cultural characteristics, Phoma conidiogena, an excitant of asthma: some 203

Ocotea aciphylla 104; aniboides 109; architectorum 109; Dielsiana 107; fasciculata 105, 106; **Keriana** 104; **Killipii** 108; laxiflora 108, 109; licanioides 107; marowynensis 109; Maynensis 106; minutiflora 105, 106; **olivacea** 105; opifera 106; umbrosa 107

Octomeris 228

Odontocarya 93; diplobotrya 92; tamoides 92

Ossaea 75, 259, 260; **boliviensis** 259; **bullifera** 260; capillaris 260, 261; **cucullata** 260; micrantha 261

PENNELL, FRANCIS W. Scrophulariaceae 466

Persea boliviensis 103

Peru and Amazonian Brazil, Studies of South American plants—I. New and noteworthy plants from 87

Peru and Amazonian Brazil, Studies on the flora of northern South America—XV. Recent collections of Melastomataceae from 215

Phoebe Brasiliensis 104; **pichisensis** 103

Phoenicophorium 50; borsigianum 50; Sechellarum 49, 50

Phoma 203, 204, 212; alternariaceum 204, 212; conidiogena 203, 208, 209, 212; fictilis 204; Richardiae 204

Phoma conidiogena, an excitant of asthma: some observations on the development and cultural characteristics 203

Phthirusa micrantha 91

Phyllostictina carpogena 211

Physiological effects of boron on wheat 1

Pilobolus 153

Pisum sativum 155, 168, 171

Plants from Peru and Amazonian Brazil, Studies of South American plants—I. New or noteworthy 87

Pleospora 212; Alternariae 212; herbarum 212

Pleurothyrium chrysophyllum 110; densiflorum 109; Poeppigii 110

Pogonorhynchus amplexans 227

Pourouma cecropiaefolia 87

Propagation of Equisetum from sterile aerial shoots 531

Pseudomicrolicia 215

Psittacanthus brachynema 91; **calcaratus**

89; caudatus 90; clusiaefolius 89; corynocephalus 91; crassifolius 88; cucullaris 91; **peculiaris** 90; peronopetalus 90
Pterocladon 225; Sprucei 225
Pterogastra 218; divaricata 218
Pterolepis 218; pumila 218; trichotoma 218;
Pterophorae 247, 248
Pyronema 517

Relationships of certain myrmecophilous melastomes, The 73
Review of the American species of Daltonia, A 31
Rhynchanthera 216; Hookeri 216, 217; **Williamsii** 216
ROBINSON, B. L. Compositae—Eupatorieae 482
Root tips of wheat and corn grown in nutrient solutions deficient in calcium, Changes in 149
RUSBY, H. H. The genus Cinchona in Bolivia 523

Sagraea 254, 255
Salpinga 224; secunda 224
SCHAFFNER, JOHN H., Propagation of Equisetum from sterile aerial shoots 531
SCHWEINFURTH, CHARLES (with Oakes Ames). Orchidaceae 345
Seedlings in magnesium sulphate solutions, Growth and variability of wheat 179
Septosporium 204
SKEELS, H. C., Nomenclatural notes 49
SMITH, ALBERT C. Studies of South American plants—I. New or noteworthy plants from Peru and Amazonian Brazil 87; Pteridophyta (of Mount Duida) 299; Podostemonaceae 369; Cunoniaceae 369; Fabaceae 372; Eriaceae 437; Vacciniaceae 438
SMITH, L. B. Bromeliaceae 337
Somphoxylon 93; **Klugii** 92; Wullschlaegelii 93
South American plants—I. New or noteworthy plants from Peru and Amazonian Brazil, Studies of 87
South America—XV. Recent collections of Melastomataceae from Peru and Amazonian Brazil, Studies on the flora of northern 215
Spirogyra 154
STANDLEY, PAUL C. Ulmaceae 356; Moraceae 356; Vochysiaceae 380; Loganiaceae 448; Rubiaceae 470
Stevensonia 49, 50; grandifolia 49; Sechellarum 49
STOESZ, ABRAHAM D. (WITH WILLIAM C. COOPER.) The subterranean organs of Helianthus scaberrimus 67
Studies of South American plants—I. New or noteworthy plants from Peru and Amazonian Brazil 87
Studies on the flora of northern South America—XV. Recent collections of Melastomataceae from Peru and Amazonian Brazil 215
Subterranean organs of Helianthus scaberrimus, The 67
SWALLEN, JASON R. Gramineae 315
Synandropus 93; **membranaceus** 94
Syzygium paniculatum 49

Tamonea 226, 227, 237
TATE, G. H. H. Narrative of the Tyler-Duida Expedition 279; Aspects of vegetation and plant associations 287; Notes 333, 338, 342, 367, 379, 380, 383, 392, 420, 475, 497
Taxithelium planum 46
Thorn formation in Fouquieria splendens and Idria columnaris 263
Tibouchina 75, 218; aspera 218; Brittoniana 219; **decora** 218, 219; laxa 219; longifolia 219; ochypetala 219; panicularis 219; Tessmanii 219
Tococa 73–75, 227, 251; bullifera 250; capitata 252; coronata 252; discolor 251; egensis 252; **glandulosa** 252; gonocarpa 248; **gonoptera** 247; guianensis 250; heterophylla 85; juruensis 251; lasiostyla 253; loretensis 251; macrophysca 75; Mayeta 78, 79; micrantha 251; parviflora 251; pauciflora 249; Peckiana 74, 75; setifera 253; **stenoptera** 248; stephanotricha 249, 250; temnoptera 249; truncata 252; Ulei 251; vesiculosa 74
Tradescantia 150, 171
TRELEASE, HELEN M. (WITH SAM F. TRELEASE). Magnesium injury of wheat 127
TRELEASE, SAM F., AND HELEN M. TRELEASE. Magnesium injury of wheat 127
TRELEASE, WILLIAM. Piperaceae 353; Phoradendron 358
Triana 226

Triticum vulgare 149
Trymatococcus amazonica 87
Tylenchus Tritici 139
Tyler-Duida Expedition, Botanical results of the 277–506

Vicia Faba 1, 4, 11
Virola calophylla 96; loretensis 95; mollissima 95; officinalis 96

Wheat and corn grown in nutrient solutions deficient in calcium, Changes in root tips of 149
Wheat, Magnesium injury of 127
Wheat, Physiological effects of boron on 1
Wheat seedlings in magnesium sulphate solutions, Growth and variability of 179
WILLIAMS, R. S. Musci 501
WODEHOUSE, R. P. Gentianaceae 451
WOODSON, ROBERT E., JR. Apocynaceae 452

Zea Mays 144, 149, 154, 157, 171

INDEX TO LATIN NAMES OF THE REPORT OF THE TYLER-DUIDA EXPEDITION

New names and the final members of new combinations are in **bold face** type.

Abelia 489; chinensis 489
Aberemoa asterotricha 291, 361
Abolboda grandis **rigida** 326; macrostachya 289, 323; Poeppigii 323; Sceptrum 294, 295, 326
Abuta imene 361; **velutina** 361
Acanthaceae 469
Acanthella conferta 289, 413
Acanthospermum australe 488
Aciotis aequatorialis 413; dysophylla 413; laxa 413; purpurascens 413
Acisanthera **erecta** 290, 412
Actinostachys pennula 290, 310
Adelbertia 419
Adelobotrys 418, 434; rotundifolia 418
Adenodesma 427, **428**
Adiantum tomentosum 300
Aegiphila **Surfaceana** 462
Alibertia bertierifolia 470
Alsophila 296, 300; blechnoides 300
Amasonia **obovata** 463, 464; punicea 463, 464
Amphiphyllum 332; **rigidum** 298, 333
Anandrogyne 406
Anaphysca 431
Anaxagorea acuminata 291, 361
Andropogon 288; Selloanus 315
Anemia buniifolia 289, 310
Anisomeris 472
Annona 362; Jenmani 361; squarrosa 362
Annonaceae 361
Anthurium 289; Hookeri 320; quinquenervium 295, 320; roraimense 321
Aparisthmium cordatum 382
Apocynaceae 291, 298, 452
Aquifoliaceae 384
Araceae 320
Araliaceae 434
Aranella fimbriata 468
Archytaea multiflora 293, 296, 360, 395
Aristida 288; torta 315
Asclepiadaceae 455
Asclepias curassavica 455
Asplenium serratum 300; theciferum 303
Augusta 490
Austrogramme 305

Baccharis cassinefolia 488; Schomburgkii 488
Bactris 319
Barbacenia Alexandrinae 298, 341
Bauhinia 371
Bejaria 438; guianensis 438; **variabilis** 298, 437
Bertolonieae 425
Bixa orellana 407
Bixaceae 407
Blakea 434
Blechnum 296, 303, 309; acutum 303; Boryanum 303
Blepharodon bracteatum 455; **ciliatum** 458; crassifolius 459; **Hitchcockii** 459; longipedicellatum 456; pallidum 459; **venezuelense** 290, 455
Bocagea multiflora 291, 362
Bonnetia 295, 397; anceps 397; **crassa** 296, 395, 396, 397; Dinizii 397; holostyla 396, 397; **longifolia** 293, 296, 396, 397; paniculata 397; roraimae 397; sessilis 395, 396, 397; stricta 397; **tristyla** 296, 396, 397; venulosa 397
Bonyunia 448; **cinchonoides** 448; minor 448
Borreria alata 472; latifolia 472
Brachionidium **longicaudatum** 248; parvum 348
Brachybotrys 379
Brachypus 379
Brachyzeugma 379
Bracteatae 411
Brassavola 345
Brocchinia 288, 295, 296; **prismatica** 290, 337, 338; reducta 298, 338
Bromeliaceae 337
Buchnera palustris 466
Buettneria jaculifolia 388
Burmannia bicolor 343; **bracteosa** 343; capitata 343; **foliosa** 295, 343; Kalbreyeri 344; polygaloides 344
Burmanniaceae 289, 343
Burseraceae 377
Byrsonima 289, 290; bracteolaris 298, 378; chrysophylla 377; crassifolia 288, 377; **cretacea** 296, 378; variabilis 379

Caesalpiniaceae 371
Calea **abelioides** 298, 488, 489; Oliverii 489; ternifolia 489
Calolisianthus pulcherrimus 450; **Tatei** 298, 449

Calpidisca **amethystina** 468; **hispida** 469; **modesta** 469
Campsiandra angustifolia 371
Campylopus praealtus 502
Canna coccinea 342
Cannaceae 342
Cardiospermum Halicacabum 387
Carinafolium 502; **Tatei** 502
Carludovica 320
Casearia javitensis 407; Spruceana 408
Cassia 289, 371
Cassytha filiformis 363
Catoblastus 319
Cattleya violacea 345
Cavendishia 444; amalfiensis 444; **duidae** 443
Cecropia 292
Cephaelis 481; barcellana 471, 478; tomentosa 471, 478
Cephalostemon affinis 332
Ceratopyxis 476
Cestrum latifolium 466; tenuiflorum **glabrescens** 465
Chalepophyllum 295, 474; guyanense 474; latifolium 298, 474; speciosum 474; Tatei 473, 474
Chelonanthus 288; angustifolius 449; campanuloides 449; camporum 450; chelonoides 449; **pyriformis** 298, 450; Spruceanus 449
Chiococceae 476
Chorisepalum 451, 452; **ovatum** 451, 452
Chusquea Weberbaueri 315
Cissus erosa 387; sicyoides 387
Clerodendron Thompsonae 463
Clidemia 433; affinis 414; biserrata 414; dentata 433; **duidae** 432; hirta 414, 433; minutiflora 433; naevula 414; **piperifolia** 433
Clitoria laurifolia 372
Clusia 291, 295, 298, 404, 406; cajamarcensis 403; columnaris 289, 290, 402; **duidae** 402; flaviflora 404; **hexacarpa** 403; **Melchiori** 403; **pachyphylla** 295, 405, 406; Planchoniana 406; **rotundifolia** 298, 406; sphaerocarpa 403
Clusiastrum 405
Cochlidium **attenuatum** 308, 309; Connellii 309; furcatum 309; paucinervatum 309
Commelinaceae 341
Commianthus 476
Compositae 482, 486, 487
Connaraceae 370
Connarus Sprucei 370
Conomorpha 295, 447; **curvivenia** 444, 446; **duidae** 294, 445; latifolia 446; laxiflora 446; **lepidota** 298, 446; peruviana 446; punctata 444, 446
Convolvulaceae 292, 461
Costus 281; cylindricus 342
Couepia leptostachya 369
Couma utilis 298, 453
Coutoubea spicata 449
Croton cuneatus 382; palanostigma 382; suavis 382
Cunoniaceae 369
Cuphea speciosa 409
Curtia tenuifolia 449
Cuscuta 290, 461
Cuscutaceae 461
Cyathea schanschin 300
Cyatheaceae 299
Cyclanthaceae 320
Cybianthus venezuelanus 447
Cyclanthus bipartitus 320
Cylindrocephala 483
Cyperaceae 317
Cyperus 289; Haspan 317
Cyrilla 295, 296; brevifolia 383; racemiflora 383
Cyrillaceae 383

Davallieae 301
Davilla aspera 388
Dendrophthora elliptica stenophylla 358; roraimae 295, 358
Desmocelis villosa 412; villosa gracillima 412
Desmodium barbatum 372; uncinatum 372
Diacidia vestita 296, 380
Dichorisandra hexandra 341
Dichromena ciliata 317
Dicrananthera 412
Dicranopteris flexuosa 310
Didymopanax 295; **montanum** 434; **reticulatum** 295, 435; rubiginosum 436; rugosum 295, 436; Spruceanum 436
Dilleniaceae 388
Diocica lasiocarpa 372
Diodia hyssopifolia 472
Dioscorea megacarpa 342
Dioscoreaceae 342
Dipladenia 454
Diplazia karataefolia 317
Disterigma 444
Ditassa **duidae** 295, 459; **eximia** 457; **retusa** 460; **Tatei** 456

Doliocarpus densiflorus 388
Drepanophyllum **duidense** 501; fulvum 501
Drosera communis 369; montana 369; montana robusta 369
Droseraceae 289, 369
Duidaea 496, 497; **pinifolia** 297, 298, 497, 499; **rubriceps** 298, 497, 500; **Tatei** 298, 497, 498
Duidania 295, 476, 477; montana 476
Dyscritothamnus filifolius 487

Echinolaena inflexa 298, 315
Echites 454; subcarnosa 453
Elaphoglossum latifolium 293, 309
Eleocharis 289, 317
Elleanthus 345, 346; laxus 346; Tonduzii 345
Elsota coriacea 381; diversifolia 381
Emmotum 386; **argenteum** 386; fagifolium 387
Epidendrum 293, 298, 350; carnosum 296, 350; fallax 350; goniorhachis 350; Imthurnii 350; **inconstans** 294, 296, 350; Lindenii 350; ramosum 350; variegatum 345
Episcia 468; **cordata** 293, 466; **cuneata** 293, 467; hirsuta 467
Epistephium 345; parviflorum 290, 345
Eragrostis bahiensis 315
Erechtites hieracifolia 488
Ericaceae 436
Eriocaulaceae 289, 290, 295, 326
Eriocaulopsis 329
Eriolepis 379
Eriopsis biloba 351; colombiana 351; Fuerstenbergii 351; **grandibulbosa** 296, 350, 351; rutidobulbon 351
Ernestia tenella 290, 412
Eschweilera elegans 409
Euacisanthera 412
Eucalea 489
Eucriuva 403
Eugenia 409, 411; riparia 409
Eumiconia 429; Paniculares 413
Eupatorieae 482
Eupatorium fuscum 484; Maximiliani 484; Maximiliani hispidum 484; odoratum 484; **pharcidodes** 483; scabrum 483; **Tatei** 295, 484; **Tyleri** 482, 483, 484
Euphorbiaceae 382
Eupolypodium 308
Eustenopadus 490
Euterpe longibracteata 320; **montis-Duida** 319
Everhardia 298, 318; montana 318

Fabaceae 372
Faramea angustifolia 471
Ficus oblanceolata 356
Flacourtiaceae 407
Funaria calvescens 296, 503

Gaylussacia buxifolia 439; **cacuminis** 295, 438
Geissopappus 486
Genlisea roraimensis 469
Gentianaceae 449
Geonoma 319, 320; baculifera 318; Brongniartii 319; **chaunostachys** 318; hexasticha 319; maxima 319
Geophila herbacea 471; trichogyne 471
Gesneriaceae 466
Gleasonia 474, 475; duidana 475
Gleicheniaceae 310
Gochnatinae 497
Gongylolepis 295, 495, 497; Benthamiana 495; **erioclada** 495; **glaberrima** 295, 494, 495
Goniophlebium 308
Graffenrieda 296, 422; caryophyllea 421; ovalifolia 298, 420; patens 422; **polymera** 295, 420; rotundifolia 421; sessilifolia 422; **tricalcarata** 421; Weddellii 420
Gramineae 315
Grammadenia 295; lineata 447
Grammitis 307
Guatteria 362; sessilis 362
Guettarda 477
Guttiferae 402, 405

Havetia 404
Helenieae-Jauminae 486
Heliamphora 295, 296, 366; **Macdonaldae** 296, 367; nutans 366, 367; **Tatei** 294, 367, 368; **Tyleri** 298, 367, 368
Heliconia 281, 291; glauca 342
Helicostylis **obtusifolia** 356; tomentosa 357
Hemitelia 300; macrosora 300; multiflora 299
Henriettella Goudotiana 415; **micrantha** 414; Seemannii 415
Heteropterys Grisebachiana 378; longifolia 290; **oblongifolia** 377, 378
Heterostemon ellipticum 371
Hexisea bidentata 293, 349
Hibiscus furcellatus 387

Hillia parasitica 473
Hippocratea 385
Hippocrateaceae 385
Hirtella aureo-hirsuta 369; Ulei 370
Histiopteris incisa 306
Humiria balsamifera 290, 374; floribunda 374; floribunda laurina 375; floribunda montana 298, 359, 375; floribunda **spathulata** 290, 374; **savannarum** 290, 374
Humiriaceae 374
Hymenophyllaceae 299, 301
Hymenophyllopsis 301; **asplenioides** 302; dejecta 302
Hymenophyllum 297; brevifrons 299; crispum 299; dejectum 301; sericeum 299
Hypnella pilotrichelloides 503
Hyptis atrorubens 465; Parkeri 465; Parkeri **verbenaefolia** 465; recurvata 465; verbenaefolia 465

Icacinaceae 385, 386
Ilex 295, 385; **duidae** 298, 384; obtusata 384; retusa 298, 384; retusa subepunctata 384
Ischnosiphon leucophaeus 342
Isolepis lanata 318
Ixora 470; duidae 470; membranacea 470

Jacquiniella globosa 349
Jacquemontia guyanensis 461

Kalmia 454
Kummeria 386

Labiatae 465
Ladenbergia 473; Lambertiana 470; lucens 473
Laetia suaveolens 408
Lagenocarpus 289, 318; rigidus 317, 318
Laplacea semiserrata 398
Lauraceae 362
Leandra **linearis** 425; nervosa 425, 426
Lecythidaceae 409
Ledothamnus 437; guyanensis 437; **parviflorus** 298, 436
Leiodendron 466
Leiothrix nubigena 331; **turbinata** 298, 331
Leitgebia 389; guianensis 298, 389; Imthurniana 391
Lentibulariaceae 289, 295, 297, 468
Lepanthes 293, 346; **duidensis** 346, 347; marginata 347; Schnitteri 347; Wageneri 347
Lepanthiformes 346
Lepidocaryum 289, 319
Leptocoryphium 288; lanatum 315
Leucobryum giganteum 502; Martianum 501
Liliaceae 341
Linaceae 373
Lindsaya 289, 300, 309; crenata 303; falcata 303; pendula 298, 303; stricta 298, 300, 303
Lippia geminata 463
Loganiaceae 448
Lonchocarpus urucu 372
Lophanthera longifolia 378
Lophidium elegans 310
Loranthaceae 357
Luxemburgia angustifolia 390, 391; **duidae** 297, 389, 391; **longifolia** 390; speciosa 390, 391
Lycopodiaceae 289, 310
Lycopodium 310; cernuum 310; **duidae** 311; iuliforme 311; Tatei 311
Lythraceae 409

Macairea 418; **duidae** 416; **lanata** 298, 416; **linearis** 297, 417; multinervia 417; pachyphylla 290, 412; parvifolia 417; radula 416; rigida 298, 416, 417, 418; thyrsiflora 412, 418
Macleania 442
Macrocarpaea 452
Macrocentrum cristatum 422, 424; droseroides 422, 424; fasciculatum 422, 424; gesneriaceum 422, 424; **glandulosum** 422, 423, 424; **pusillum** 422, 424; vestitum 422, 424
Macrolobium brevense 372; **confertum** 371; discolor 372; Huberianum 372
Macromitrium ulophyllum 503
Macropharynx 454
Mahurea exstipulata 402
Malpighiaceae 377
Malvaceae 387
Mandevilla Dielsiana 453; mollissima 289; scabra 452; **subcarnosa** 453
Maprounea guyanensis 382
Marantaceae 342
Marcetia taxifolia 418
Marsypianthes Chamaedrys 465
Maxillaria 293, 294, 295, 352; Brenesii 352; divaricata 353; Houtteana 352; longissima 352; meridensis 353
Maximiliana 319
Mayaca fluviatilis 321; Sellowiana 289, 321

Mayacaceae 321
Melastomataceae 411
Mendoncia Sprucei 469
Menispermaceae 361
Meriania **duidae** 294, 419
Mespilodaphne 363
Metastelma guianense 457; **mirifolium** 298, 460; obscurum 457; **strictum** 457, 461
Miconia 413; **aguitensis** 426, 427; albicans 413; amplexans 428; aplostachya 413; argyrophylla 413; **aristata** 427; ceramicarpa 429; nervosa 429; panicularis 413; phaeophylla 428; Plukenetii 428; rhytidophylla 428; roraimensis 428; **silicicola** 428; stenostachya 290, 413; **subtriloba** 429
Microglochidion 383
Mikania 295, 485; **duidensis** 296, 485; phaeoclados 485
Mimosa 371
Mimosaceae 371
Monimiaceae 362
Monnieria trifolia 375
Monnina cacumina 382; **duidae** 295, 381
Monochaetum 423
Monotrema 332; aemulans 332; **xyridoides** 289, 332
Moraceae 356
Musaceae 342
Musci 501
Mutisieae-Gochnatinae 490
Mycerinus 441; **sclerophyllus** 295, 442
Myrcia 409, 411; **aguitensis** 409; capitata 411; **compressa** 410; **hirtellaefolia** 411; involucrata 411; lanceolata 409, 411; negrensis 410; sylvatica 298, 411
Myrsinaceae 444
Myrtaceae 409

Naiadothrix reflexa 289, 466
Navia 340; acaulis 340; angustifolia 340; **brachyphylla** 338, 339, 340; caulescens 340; **duidae** 338, 340; Gleasonii 340
Nephrolepis biserrata 300; cordifolia 296, 301

Ochnaceae 388
Ocotea 365; caesia 364; cordata 364; crassifolia 366; **duidensis** 363; **esmeraldana** 362; glauca 364; **glaucophylla** 364; **revoluta** 365; spathulata 363; **venosa** 365
Octoblepharum 502; albidum 501; ampullaceum 501; erectifolium 502; pulvinatum 502
Octomeria 347, 348; colombiana 347; tridentata 347
Odontoglossum 294, 353
Oedematopus 295; **duidae** 406; obovatus 407
Oleandra articulata 301; **duidae** 301; guatemalensis 301; hirta 289, 300; Lehmannii 301
Olyra latifolia 315
Opisthocentra clidemioides 413
Orchidaceae 345
Orchyllium alpinum 469; Campbellianum 469; **Humboldtii** 295, 469; Schimperi 469
Oreodaphne 364, 365
Ornithidium 353
Oryctanthes botryostachys 357; florulentus 357
Ouratea 298, 391, roraimae 388; spruceana 388; verruculosa 388
Outea 371

Paepalanthus capillaceus **proliferus** 297, 328; **convexus** 328, 331; **duidae** 329; fasciculatus 327; **robustus** 330; roraimae 330; subcaulescens 331
Paepalocephalus 329
Pagamea capitata 477, 478; conferta 477; coriacea 472, 477; garryoides 477; montana 298, 477
Palicourea 480; longiflora 472; macrophylla 482; triphylla 472
Pallasia 475
Palmae 318
Panicum chnoodes 316; **curvifolium** 298, 316; loreum 317; obovatum 298, 316; **Tatei** 316
Parinarium campestre 370; **canescens** 370
Paspalum contractum 316
Passiflora 292; coccinea 408; foetida **hispida** 408; hispida 408; nitida 408; sclerophylla 408; variolata 408
Passifloraceae 408
Patrisia acuminata 408
Peiranisia multijuga 372
Pentaspatella 388; **ramosa** 389
Peperomia **duidana** 354; hernandifolia 355; macrostachya 353; scandens 355; **Tyleri** 355; urocarpa 355
Perama dichotoma 482; galioides 472; scaposa 297, 482
Phaseolus 372
Philodendron 293, 298, 321; graveolens 321; longipes 321; macroglossum 321; **Tatei** 321
Phoradendron 295; **duidanum** 358; **Tatei** 359

Phthirusa 295; **elongata** 357; erythrocarpa 358; **gracilis** 359; guyanensis 359; polystachya 358, 360; **punctata** 359; rufa 358, 361; stenophylla 358; Theobromae 361
Phyllanthus diffusus 382; **duidae** 295, 382; vacciniifolius 383
Physosiphon 346
Piaropus crassipes 289, 341
Picramnia 377
Pilosium flaccisetum 502
Piper bracteatum 355; **duidaense** 355; **esmeraldanum** 353; **para-peltobryon** 356; **parimanum** 354; **sangabrielanum** 354
Piperaceae 353
Pitcairnia 289; nuda 338, 340
Pityrogramma calomelaena 300
Pleurothallis 293, 346; hamosa 346; pansamalae 346; roraimensis 346; stenocardium 346; unilateralis 346; velaticaulis 346
Plumieria purpurea 453
Podocarpaceae 315
Podocarpus roraimae 295, 315
Podostemonaceae 369
Pogonieae 345
Pogonophora Schomburgkiana 382
Polyactis 329
Polygala adenophora 381; hygrophila 288, 381
Polygalaceae 381
Polymnia **stenocarpha** 487
Polypodiaceae 300, 301
Polypodium 309; capillare 306; chacapoyense 308; duale 306; fraternum 308; **haplophlebicum** 307; Kalbreyeri 306; leptopodon 307; Lindbergii 300; moniliforme 306; nigrolimbatum 306; polypodioides 300; **pseudo-fraternum** 307, 308; strictissimum 306
Polytrichum antillarum 296, 503
Pontederiaceae 341
Poraqueiba 385, 386
Poraresia 385; **anomala** 385
Poteranthera **duidae** 297, 415
Prevostea ferruginea 461
Proteaceae 357
Protium guianense 290, 377; paniculatum 377
Pseudocephaelidae 481
Psilocarya 289, 317; candida 317
Psilogramme chiapensis 306; hirta 306; **paucifolia** 305
Psychotria 295, 296, 471, 478, 479, 480; bracteata 472, 481; cacuminis 481; campylopoda 296, 481; ceratantha 481; chondroloma 479; cordifolia 478; coussareoides 479; crassa 478; duidana 480; durifolia 478; Everardii 479; Hoffmannseggiana 478; involucrata 471; lupulina 472; oblita 481; patens 471; phaneroneura 480; racemosa 471; rhodoleuca 472; rhodothamna 471; santaremica 471; Tatei 480; transiens 479; vernicifolia 479
Pteridium arachnoideum 306
Pteridocalyx 475
Pteris 292
Pterocarpus Rohrii 372
Pterogastra major 288, 412
Pterozonium 297; cyclophyllum 303; **cyclosorum** 303; reniforme 304, 305; **Tatei** 295, 304, 305
Purdiaea 295; nutans 384

Qualea 381; cassiquiarensis 381; **esmeraldae** 289, 290, 380

Raddia nana 315, 317
Rapanea 447; acrantha 447; **duidae** 447
Rapatea 296
Rapateaceae 332
Ravenia **linearis** 297, 375, 376; ruellioides 376; **Tatei** 376
Remijia hispida 470; laevifolia 298, 473; tenuiflora 472, 473
Renealmia exaltata 342; floribunda 342
Restrepia 346
Retiniphyllum 298, 476; erythranthum 294, 296, 475; Schomburgkii 290, 470
Rhizogonium Lindigii 503; spiniforme 502
Rhynchanthera grandiflora 288, 411
Rhyncholacis hydrocichorium 369
Rondeletieae 475
Rosaceae 369
Rosella 482
Roucheria **angulata** 373; humiriifolia 373; laxiflora 373
Roupala montana 357
Rubiaceae 470
Rusbyanthus 452
Rutaceae 375
Rynchospora 317, 318; barbata 317; cephalotes 317; globosa 317

Sabicea amazonensis 470
Saccoglottis oblongifolia 375
Sagraea 433
Salpinctes 453, 454; **duidae** 454; **kalmiaefolius** 453, 454

Sapindaceae 387
Sapotaceae 447
Sarraceniaceae 366
Sauvagesia 389; deflexifolia 389
Saxo-Fridericia 334; regalis 293, 333, 334
Scaphyglottis 293, 348; **grandiflora** 349; violacea 349
Schefflera 295; coriacea 436; umbellata 294, 436
Schizaeaceae 310
Schnella 372
Schoenocephalium 334
Scitaminales 292
Scleria 289; cyperina 318
Scrophulariaceae 466
Selaginella atroviridis 312; calcarata 310; **duidae** 312; flabellata 310; Martensii 312; **microdonta** 297, 313; Parkeri 310; radiata 290, 310, 314, 315; **scalariformis** 298, 314; **Tyleri** 311; vernicosa 312, 313
Sematophyllum galipense 502; tequendamense 503
Senecio 486
Setiscapella pusilla 469; subulata 469
Sida glomerata 388
Sideroxylon elegans 447
Simarubaceae 377
Sipanea glomerata 470
Siparuna guianensis 362
Smilax Benthamiana 289, 341; floribunda 293, 341
Sobralia 290, 293, 346; liliastrum 289, 345
Solanaceae 465
Solanum 292, 466; umbellatum 465
Sonerileae 425
Sophoclesia 444; major 444
Spathiphyllum cannifolium 320
Sphagnum 295; capillaceum tenellum 502; magellanicum 502
Stegolepis 295, 334; angustata 334; ferruginea 334; guianensis 294, 333, 334, 335; **linearis** 298, 333, 335; **pauciflora** 333, 335; **pungens** 298, 333, 335, 336
Stelis 346; argentata 346; parvula 346
Stenopadus 295, 489, 490; **Connellii** 490, 492; **crassifolius** 490, 493, 494; **eurylepis** 492; **talaumifolius** 293, 490, 491
Stenophyllus 298, 318; junciformis 317; **lanatus** 318
Stenopterys 378
Stenospermatium 321
Sterculiaceae 388
Stifftia 490, 491, 497; chrysantha 490; Connellii 490
Stipecoma 454
Stomatochaeta 490
Strychnos smilacina 448
Symbolanthus Quelchii 452
Syngonanthus 328; caulescens 327; gracilis 289, 327, 331; Huberi 327; Humboldtii **glandulosus** 327; **reflexus** 327; simplex 328; tricostatus 331
Syngramma brevifrons 305; elaphoglossoides 305; **paraphysata** 304
Syrrhopodon Bernoullii 501

Tabernaemontana citrifolia 453; coronaria 453
Tamonea 427
Tateanthus 424; **duidae** 295, 424
Teretifoliae 348
Ternstroemia 295, 398; alnifolia 399; Candolleana 395; Candolleana angustifolia 395; **discoidea** 398; **duidae** 398, 400; **dura** 398, 401; **monosperma** 398, 399; **paucifolia** 398, 401; **pungens** 398, 400, 401; **tristyla** 398
Theaceae 395
Thibaudia 440; formosa 439; **glandulifera** 298, 439; **involucrata** 440; nutans 440; **truncata** 295, 440
Thibaudieae 442
Tibouchina fraterna 294, 298, 418; spruceana 412
Tillandsia aloifolia 338; **duidae** 338, 340; elata 340; Fendleri 340; micrantha 341; Turneri 341
Tococa 434; ciliata 431; guyanensis 414; **montana** 430, 431; nitens 414; **obovata** 429, 430; **oligantha** 298, 431
Tofieldia 296; Schomburgkiana 297, 341
Tonina fluviatilis 326
Topobea 434; **ferruginea** 434
Tounatea 372
Trattinickia burseraefolia 377; burseraefolia quinquejuga 377
Trema micrantha 356
Trichomanes accedens 299; crinitum 299; crispum 299; pinnatum 299; plumosum 299
Triplaris 475
Trophis racemosa 357
Tulasnea 416
Turnera acuta 408
Turneraceae 408

Tyleria 295, 296, 298, 391; **floribunda** 296, 392; **grandiflora** 392, 393; **linearis** 392, 393; **spathulata** 296, 392, 394
Tyleropappus 486; **dichotomus** 486

Ulmaceae 356
Utricularia amethystina 468; hispida 469; Humboldtii 469; modesta 469; Schimperi 469

Vacciniaceae 438
Vaccinium 444
Velloziaceae 341
Verbenaceae 462
Villaresia 385, 386
Vismia japurensis 402
Vitaceae 387
Vochysiaceae 380

Weinmannia 295, 296; caripensis 369; crenata 369; venezuelensis 369
Wunderlichia 490, 491; mirabilis 490; tomentosa 490

Xylopia grandiflora 362
Xyridaceae 290, 322
Xyris 298, 332; **atriceps** 325; Augusto-Coburgi 324; **duidensis** 297, 298, 325; eriophylla 322; glabrata 322; jupicai 323; lacerata 322; lomatophylla 322; longiceps 322; **lugubris** 324, 325; rubrolimbata 326; savannensis 289, 322; stenophylla 323; **stenophylloides** 298, 323; **subglabrata** 290, 322; **Tatei** 323, 325; tenella 298; tenella subtenella 323

Zingiberaceae 342
Zornia diphylla 372
Zygopetalum maxillare 352; **Tatei** 294, 351, 352
Zygostigma 452